

PROVISION OF SANITARY FACILITIES UNDER THE EATING ESTABLISHMENT/ FOOD CENTRE/ BAR/ NIGHTCLUB CATEGORY

Reference: NEA-FEHD-CIRCULAR-COPEH-00001

Date: 11 Dec 2018

CIRCULAR TO PROFESSIONAL INSTITUTES

Who should know

Developer, Architects, Engineers, Contractors and Builders

Dear Sir/Madam,

Provision of Sanitary Facilities under the Eating Establishment/ Food Centre/ Bar/ Nightclub Category

Under section 2.4.1 of the Code of Practice for Environmental Health (COPEH), the number of public toilets and sanitary fittings to be provided in buildings accessible to the general public shall be in accordance to Appendix 2.

2 For the purpose of computing the required minimum number of sanitary facilities to be provided under Category (3) Eating Establishment/ Food Centre/ Bar/ Nightclub, we would like to clarify that the gross floor area of the premises refers to the gross floor area within the Eating Establishment/ Food Centre/ Bar/ Nightclub, and does not include the Outdoor Refreshment Area (ORA) of the premises, if any.

3 Should you have further queries, you may use the feedback form available on the NEA website at <https://www.nea.gov.sg/feedback>, myENV, or OneService mobile applications. We would appreciate if you could disseminate the content of this circular to your members. Thank you.

Yours Sincerely,



Chew Ming Fai

Director

Food and Environmental Hygiene Department
National Environment Agency



40 Scotts Road #13-00
Environment Building
Singapore 228231
Tel: 1800 2255 632
Fax: 6235 2611
Email: contact_nea@nea.gov.sg
www.nea.gov.sg

cc The President
Singapore Institute of Architects (SIA)

The President
Association of Consulting Engineers Singapore (ACES)

The President
The institute of Engineers Singapore (IES)

The President
Real Estate Developers' Association of Singapore (REDAS)

The President
Singapore Contractors Association Limited (SCAL)

Director
Building Control Authority

Director
Public Utilities Board